

BIOMETRIKA

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

BIOMETRIKA

VOLUME 63

1976

Editor

D. R. COX

Business Manager

D. V. LINDLEY

Associate Editors

P. M. E. Altham

J. A. Anderson

P. Armitage

M. J. R. Healy

D. V. Hinkley

J. F. C. Kingman

S. D. Silvey

M. Westcott

PUBLISHED BY

BIOMETRIKA TRUST, UNIVERSITY COLLEGE LONDON

© 1976 Biometrika Trust ISSN 0006-3444

Printed in Great Britain at the University Printing House, Cambridge

Contents of Volume 63


	PAGE
AITCHISON, J. and AITKEN, C. G. G. Multivariate binary discrimination by the kernel method	413
AITCHISON, J. and BEGG, C. B. Statistical diagnosis when basic cases are not classified with certainty	1
AITKEN, C. G. G. (<i>See</i> AITCHISON, J.)	
AKEDA, Y. and HORI, M. On random sequential packing in two and three dimensions	361
ALTHAM, P. M. E. Discrete variable analysis for individuals grouped into families	263
ANDERSON, O. D. On the inverse of the autocovariance matrix for a general moving average process	391
ANDERSON, O. D. On two convex autocorrelation regions for moving average processes	681
ANIS, A. A. and LLOYD, E. H. The expected value of the adjusted rescaled Hurst range of independent normal summands	111
ATIQULLAH, M. (<i>See</i> SAMIYUDDIN, M.)	
BANCROFT, G. A. and DUNSMORE, I. R. Predictive distributions in life tests under competing causes of failure	195
BARNDORFF-NIELSEN, O. Nonformation	567
BARNETT, V., GREEN, P. J. and ROBINSON, A. Concomitants and correlation estimates	323
BASAWA, I. V. and SCOTT, D. J. Efficient tests for branching processes	531
BEGG, C. B. (<i>See</i> AITCHISON, J.)	
BHANSALI, R. J. Estimation of the moving average representation of a stationary nondeterministic process	408
BJÖRNHAM, Å. and LINDGREN, G. Frequency estimation from crossings of an observed mean level	507
BLOM, G. Some properties of incomplete U -statistics	573
BOOTH, N. B. and SMITH, A. F. M. Batch acceptance schemes based on an autoregressive prior	133
BRADLEY, R. A. and EL-HELBAWY, A. T. Treatment contrasts in paired comparisons: Basic procedures with application to factorials	255
BRYANT, J. L. and PAULSON, A. S. An extension of Tukey's method of multiple comparisons to experimental designs with random concomitant variables	631
CASSEL, C. M., SÄRNDAAL, C. E. and WRETMAN, J. H. Some results on generalized difference estimation and generalized regression estimation for finite populations (with discussion by T. M. F. Smith)	615
CHANG, T. C. (<i>See</i> KRISHNAIAH, P. R.)	
CHANG, W. C. The effects of adding a variable in dissecting a mixture of two normal populations with a common covariance matrix	676
CHIU, W. K. (<i>See</i> LAM, K.)	

	PAGE
CHMIEL, J. J. Some properties of Spearman-type estimators of the variance and percentiles in bioassay	621
CLAYTON, D. G. An odds ratio comparison for ordered categorical data with censored observations	405
COOK, G. W. (See KERRIDGE, D. F.)	
COX, N. R. A note on the determination of the nature of turning points of likelihoods	199
COX, N. R. The linear structural relation for several groups of data	231
COX, T. F. The robust estimation of the density of a forest stand using a new conditioned distance method	493
COX, T. F. and LEWIS, T. A conditioned distance ratio method for analyzing spatial patterns	483
CRESSIE, N. On the logarithms of high-order spacings	343
DAVIS, A. W. Statistical distributions in univariate and multivariate Edgeworth populations	661
DE JONG, P. The recursive fitting of autoregressions	525
DOKSUM, K. A. and SIEVERS, G. L. Plotting with confidence: Graphical comparisons of two populations	421
DOLBY, G. R. The ultrastructural relation: A synthesis of the functional and structural relations	39
DOWNHAM, D. Y. and GREEN, D. H. Inference for a two-dimensional stochastic growth model	551
DOWNING, D. J. (See SHUSTER, J. J.)	
DOWNTON, F. Nonparametric tests for block experiments	137
DUNSMORE, I. R. Asymptotic prediction analysis	627
DUNSMORE, I. R. (See BANOROFF, G. A.)	
DURAN, B. S., TSAI, W. S. and LEWIS, T. O. A class of location-scale nonparametric tests	173
EFRON, B. and THISTED, R. Estimating the number of unseen species: How many words did Shakespeare know?	435
EKBOHM, G. Comparing means in the paired case with missing data on one response	169
EKBOHM, G. On comparing means in the paired case with incomplete data on both responses	299
EL-ATOUM, S. A. M. (See MARDIA, K. V.)	
EL-HELBAWY, A. T. (See BRADLEY, R. A.)	
FIENBERG, S. E. and LABNTZ, K. Log linear representation for paired and multiple comparisons models	245
FREEMAN, G. H. A cyclic method of constructing regular group divisible incomplete block designs	555
GABRIEL, K. R. (See MARCÓUS, R.)	
GODAMBE, V. P. Conditional likelihood and unconditional optimum estimating equations	277
GODOLPHIN, E. J. On the Cramér-Wold factorization	367
GOLDSTEIN, H. (See HEALY, M. J. R.)	
GOLDSTEIN, M. Bayesian analysis of regression problems	51

GREEN, D. H. (<i>See</i> DOWNHAM, D. Y.)	
GREEN, P. J. (<i>See</i> BARNETT, V.)	
GREEN, S. B. (<i>See</i> KOZIOL, J. A.)	
HART, M. L. and MONEY, A. H. On Wilks's multivariate generalization of the correlation ratio	59
HEALY, M. J. R. and GOLDSTEIN, H. An approach to the scaling of categorized attributes	219
HEBB, D. G. A geometric characterization of connectedness in a two-way design	93
HILL, G. W. New approximations to the von Mises distribution	673
HINKLEY, D. On estimating a symmetric distribution	680
HORI, M. (<i>See</i> AKEDA, Y.)	
HUTCHESON, K. (<i>See</i> SUGG, M. N.)	
HWANG, F. K. Group testing with a dilution effect	671
IZENMAN, A. J. On the extremal quotient from a gamma sample	185
JOHN, J. A. (<i>See</i> LEWIS, S. M.)	
KEDEM, B. Sufficient statistics associated with a two-state second-order Markov chain	127
KELLY, F. P. and RIPLEY, B. D. A note on Strauss's model for clustering	357
KERRIDGE, D. F. and COOK, G. W. Yet another series for the normal integral	401
KOK, K.-L. and PATTERSON, H. D. Algebraic results in the theory of serial factorial design	559
KOZIOL, J. A. and GREEN, S. B. A Cramér-von Mises statistic for randomly censored data	465
KRISHNAIAH, P. R., LEE, J. C. and CHANG, T. C. The distributions of the likelihood ratio statistics for tests of certain covariance structures of complex multivariate normal populations	543
LAM, K. and CHIU, W. K. On the probability of correctly selecting the best of several normal populations	410
LARNTZ, K. (<i>See</i> FLENBERG, S. E.)	
LEE, J. C. (<i>See</i> KRISHNAIAH, P. R.)	
LEE, R. D. (<i>See</i> UPTON, G. J. G.)	
LEONARD, T. Some alternative approaches to multiparameter estimation	69
LEONARD, T. (<i>See</i> O'HAGAN, A.)	
LEWIS, P. A. W. and SHEDLER, G. S. Simulation of nonhomogeneous Poisson processes with log linear rate function	501
LEWIS, S. M. and JOHN, J. A. Testing main effects in fractions of asymmetrical factorial experiments	678
LEWIS, T. (<i>See</i> COX, T. F.)	
LEWIS, T. O. (<i>See</i> DURAN, B. S.)	
LINDGREN, G. (<i>See</i> BJÖRNHAM, Å.)	
LITTLE, R. J. A. Inference about means from incomplete multivariate data	593
LLOYD, E. H. (<i>See</i> ANIS, A. A.)	
LOCKE, C. and SPURRIER, J. D. The use of U -statistics for testing normality against nonsymmetric alternatives	143
MARCUS, R. The powers of some tests of the equality of normal means against an ordered alternative	177

	PAGE
MARCUS, R., PERITZ, E. and GABRIEL, K. R. On closed testing procedures with special reference to ordered analysis of variance	655
MARDIA, K. V. Linear-circular correlation coefficients and rhythmometry	403
MARDIA, K. V. and EL-ATOUM, S. A. M. Bayesian inference for the von Mises-Fisher distribution	203
MARGOLIN, B. H. and MAURER, W. Tests of the Kolmogorov-Smirnov type for exponential data with unknown scale, and related problems	149
MAURER, W. (<i>See</i> MARGOLIN, B. H.)	
McLACHLAN, G. J. The bias of the apparent error rate in discriminant analysis	239
MIKULSKI, P. W. and SMITH, P. J. A variance bound for unbiased estimation in inverse sampling	216
MILLER, R. G. Least squares regression with censored data	449
MONEY, A. H. (<i>See</i> HART, M. L.)	
MÜLLER, P.-H. and VAHL, H. Pearson's system of frequency curves whose left boundary and first three moments are known	191
NICHOLLS, D. F. The efficient estimation of vector linear time series models	381
O'HAGAN, A. On posterior joint and marginal modes	329
O'HAGAN, A. and LEONARD, T. Bayes estimation subject to uncertainty about parameter constraints	201
PATTERSON, H. D. and WILLIAMS, E. R. A new class of resolvable incomplete block designs	83
PATTERSON, H. D. (<i>See</i> KOK, K.-L.)	
PAULSON, A. S. (<i>See</i> BRYANT, J. L.)	
PERITZ, E. (<i>See</i> MARCUS, R.)	
PETTITT, A. N. A two-sample Anderson-Darling rank statistic	161
PETTITT, A. N. Cramér-von Mises statistics for testing normality with censored samples	475
PETTITT, A. N. and STEPHENS, M. A. Modified Cramér-von Mises statistics for censored data	291
PRESCOTT, P. Comparison of tests for normality using stylized sensitivity surfaces	285
PRUSCHA, H. Maximum likelihood estimation in linear learning models	537
RIPLEY, B. D. (<i>See</i> KELLY, F. P.)	
ROBINSON, A. (<i>See</i> BARNETT, V.)	
ROYALL, R. M. Likelihood functions in finite population sampling theory	605
RUBIN, D. B. Inference and missing data (with discussion by R. J. A. Little)	581
SAMIUDDIN, M. and ATIQULLAH, M. A test for equality of variances	206
SÄRNDAL, C. E. (<i>See</i> CASSEL, C. M.)	
SCOTT, D. J. (<i>See</i> BASAWA, I. V.)	
SHAIKH, A. Statistical inference for Markov chains with lumped states	211
SHAROT, T. Sharpening the jackknife	315
SHEDLER, G. S. (<i>See</i> LEWIS, P. A. W.)	
SHIBATA, R. Selection of the order of an autoregressive model by Akaike's information criterion	117
SHUSTER, J. J. and DOWNING, D. J. Two-way contingency tables for complex sampling schemes	271

SIEVERS, G. L. (<i>See</i> DOKSUM, K. A.)	
SISKIND, V. Approximate probability integrals and critical values for Bartholomew's test for ordered means	647
SMITH, A. F. M. (<i>See</i> BOOTH, N. B.)	
SMITH, P. J. (<i>See</i> MIKULSKI, P. W.)	
SPURRIER, J. D. (<i>See</i> LOCKE, C.)	
STEPHENS, M. A. (<i>See</i> PETTIT, A. N.)	
SUGG, M. N. and HUTCHESON, K. Gauss-Krawtchouk quadrature approximations for moments of multinomial type distributions	395
SWITZER, P. Confidence procedures for two-sample problems	13
THISTED, R. (<i>See</i> EFRON, B.)	
THORBURN, D. Some asymptotic properties of jackknife statistics	305
TIAO, G. C. and WEI, W. S. Effect of temporal aggregation on the dynamic relationship of two time series variables	513
TSAI, W. S. (<i>See</i> DURAN, B. S.)	
UPTON, G. J. G. and LEE, R. D. The importance of the patient horizon in the sequential analysis of binomial clinical trials	335
VAHL, H. (<i>See</i> MÜLLER, P.-H.)	
WATERNAUX, C. M. Asymptotic distribution of the sample roots for a nonnormal population	639
WEDDERBURN, R. W. M. On the existence and uniqueness of the maximum likelihood estimates for certain generalized linear models	27
WEI, W. S. (<i>See</i> TIAO, G. C.)	
WILLIAMS, D. A. Improved likelihood ratio tests for complete contingency tables .	33
WILLIAMS, E. R. (<i>See</i> PATTERSON, H. D.)	
WOLFE, D. A. On testing equality of related correlation coefficients	214
WOODROOFE, M. Frequentist properties of Bayesian sequential tests	101
WRETMAN, J. H. (<i>See</i> CASSEL, M.)	
WYNN, H. P. Connected finite population sampling plans	208
YANG, M. C. K. A design problem for determining the population direction of movement	77



BIOMETRIKA

VOLUME 63, NO. 1 APRIL 1976

Editor

D. R. COX

Business Manager

D. V. LINDLEY

Associate Editors

P. M. E. Altham

J. A. Anderson

P. Armitage

M. J. R. Healy

D. V. Hinkley

J. F. C. Kingman

S. D. Silvey

M. Westcott

A volume containing about 600 pages will be published annually in three numbers, issued in April, August and December.

Subscriptions for 1976 (Vol. 63):

Libraries and organizations, £8.50 (\$25.00).

For United States and Canadian members of the Institute of Mathematical Statistics subscribing through the Institute before 1 March, \$14.50.

Subscribers who buy the journal *Biometrika* for their own and not for general use may apply to the Secretary to be registered as Personal Subscribers, for whom the subscription price is £5.75 (\$17.50).

Cheques should be made payable to *Biometrika*, crossed 'a/c BIOMETRIKA TRUST' and sent to THE SUBSCRIPTION SECRETARY, BIOMETRIKA OFFICE, UNIVERSITY COLLEGE LONDON, GOWER STREET, LONDON, WC1E 6BT to whom all orders for table separates should be sent. For particulars as to the availability of back issues and indexes please see inside back cover.

Biometrika is published by the Biometrika Trust, Biometrika Office, University College London. The journal was founded by W. F. R. Weldon, Francis Galton and Karl Pearson. It was edited by W. F. R. Weldon, Karl Pearson and C. B. Davenport (1901–1905), by Karl Pearson (1906–1936) and by E. S. Pearson (1936–1966).

Submission of papers

Papers for consideration for publication should be sent to

PROFESSOR D. R. COX
Editor, Biometrika,
Department of Mathematics,
Imperial College,
180 Queen's Gate,
London SW7 5HH,
England

Two copies are required. Papers should be as concise as possible without detracting from clarity.

It is a condition of publication in *Biometrika* that the paper shall not already have been published elsewhere, and will not be reprinted without leave of the Trustees; but requests for permission to reproduce material from any *Biometrika* publication should be sent to the Editor.

Contributors receive 50 copies of their papers free, joint authors 25 copies each. Order forms for reprints are sent to authors with proofs of their papers.

Notes for authors

Before having a paper typed for submission, please examine a recent issue of *Biometrika* carefully and follow that arrangement of formulae, references, tables, etc. as closely as possible. In particular please note the points given below. The preparation for press of a manuscript that is technically acceptable, but which does not follow these requirements, would involve the editors in a large amount of work. Therefore it may be necessary to return any such manuscript for retyping; this will often involve delay in publication.

1. Manuscripts should be typed on one side of the paper only. Double spacing should be used (not $1\frac{1}{2}$ lines), and wide margins (at least $1\frac{1}{2}$ inches) on all four sides; this also applies to the references.

2. Please give an address for each author, including a department where applicable; if this is not a permanent address please add a footnote.

3. At the beginning of the paper there must be a single paragraph summary which should not contain formulae. This should be followed by some key words arranged in alphabetical order.

4. The paper should be divided into sections with suitable short verbal titles. Sub-headings may be used, but not sub-subheadings.

5. Bracketed verbal phrases should not be used. Footnotes should be avoided except for tables. Abbreviations like i.i.d., d.f., ANOVA and ML should not be used.

6. The list of references should correspond to those in the text. They should be typed in exactly the current *Biometrika* form. Where a book is quoted, it is nearly always necessary to give a page or section number in the text. References to books of papers should include: title of book, editor(s), first and final page numbers of paper, publisher and where published. Complete lists of authors and editors should be given: *et al.* should not be used. Unpublished reports should not be included in the list of references except where they have been accepted for publication. A copy of any important unpublished reference should be sent with the manuscript when the paper is submitted.

7. Acknowledgements should appear at the end of the paper. If there is an appendix it should follow the acknowledgement but come before the references; appendixes should have titles.

8. Please arrange brackets in the order $\{ \{ () \} \}$, and follow the usual conventions for e , \exp , use of solidus, square root signs, etc. as in a recent issue.

9. Bold-faced type is no longer used in *Biometrika*; please ensure that your notation is clear without this distinction. Multiple overbars such as $\bar{\bar{x}}$ must be avoided, as must $\widehat{(a+b)}$.

10. Please distinguish between easily confused characters like $w, \omega; v, \nu; k, \kappa, K; o, O, 0; 1, l, I$; etc. Where there is ambiguity, indicate the letter by name in the margin.

11. Equation numbers should be included only when really needed; they must be placed on the right. Long or important equations should be displayed (i.e. shown on a separate line). Short formulae should be left in the text to save space where possible, but must not be more than one line high. Equations involving lengthy expressions should, where possible, be avoided by introducing suitable notation.

12. Number all tables and give them titles as nearly self-explanatory as possible. Check that the arrangement makes the best use of the *Biometrika* sized page. Layouts that have to be printed sideways should be avoided if possible.

13. Figures should be professionally drawn in Indian ink on tracing paper about twice the size they will be when printed. Titles should be typed on a separate sheet. Labelling of axes, etc. should be inserted in soft pencil. It is most important that no mistake be made in any part of the original drawing. Figures should be numbered consecutively.

